Government of the People's Republic of Bangladesh Ministry of Environment and Forests

Monthly Air Quality Monitoring Report Reporting Month: May,2018

Clean Air and Sustainable Environment Project (নির্মল বায়ু এবং টেকসই পরিবেশ প্রকল্প)

June,2018

Department of Environment

Content

1.	Introduction	1
2.	Monitoring Network	2
	Monthly Air Quality	
4.	Summary and conclusion	4
5.	ANNEX	9

1. **Introduction**

Air quality management plans based on knowledge of sources, appropriate air quality standards, accurate air quality data, and effective incentives; and enforcement policies is therefore needed to be adopted.

At this backdrop, real-time measurements of ambient level pollutants were made at 8 major cities (Namely, Dhaka, Narayangonj, Gazipur, Chittagong, Rajshahi, Khulna, Barisal and Sylhet) of Bangladesh. The data generated will be used to define the nature and severity of pollution in the cities; identify pollution trends in the country; and develop air models and emission inventories.

The program encompasses operation of the sampling and monitoring network, and quality assurance activities to ensure the quality of the data collected and disseminated by the CASE project.

CASE project monitors the criteria pollutants such as carbon monoxide, nitrogen dioxide, ozone, sulfur dioxide, PM10 and PM2.5. Monitoring is performed to demonstrate attainment or non-attainment of national ambient air quality standards to assess the trends of air pollution levels.

The main purpose of this report is to present, analyze and make available of these data to the general public, stakeholders, researchers and policy makers to develop effective air pollution abatement strategies. This report summarizes the air quality data collected at the different CAMS in operation under the Department of Environment (DoE) air quality monitoring network.

The basis for discussion of air quality has been the data collected from the Air Quality monitoring Network stations under DoE. The data have been quality controlled and the air pollution levels have been compared to the Bangladesh Ambient Air Quality Standard as adopted in 2005. Table 1 represents the current and approved air quality standards for Bangladesh.

Pollutant	Objective	Average
СО	10 mg/m ³ (9 ppm)	8 hours(a)
CO	40 mg/m ³ (35 ppm)	1 hour(a)
Pb	0.5 μg/m ³	Annual
NO_x	100 μg/m³ (0.053 ppm)	Annual
PM10	50 μg/m ³	Annual (b)
PIVITU	150 μg/m ³	24 hours (c)
PM2.5	15 μg/m ³	Annual
FIVIZ.5	65 μg/m ³	24 hours
0	235 μg/m ³ (0.12 ppm)	1 hour (d)
O_3	157 μg/m ³ (0.08 ppm)	8 hours
SO ₂	80 μg/m ³ (0.03 ppm)	Annual
302	365 µg/m³ (0.14 ppm)	24 hours (a)

Notes:

- (a) Not to be exceeded more than once per year
- (b) The objective is attained when the annual arithmetic mean is less than or equal to 50 ug/m³
- (c) The objective is attained when the expected number of days per calendar year with a 24-hour average of 150 µg/m³ is equal to or less than 1
- (d) The objective is attained when the expected number of days per calendar year with the maximum hourly average of 0.12 ppm is equal to or less than 1 (Source: AQMP, DOE).

2. **Monitoring Network**

The main objective of the Bangladesh AQM network is to provide reliable information to the authorities and to the public about the air quality in most populous cities of Bangladesh.

As a part of the air quality monitoring strategy, several objectives can be achieved, including:

- Establish source/receptor relationships;
- Identify which are the pollutants of concern and their current status;
- Show how widespread air pollution problems are and indicate the general extent of the public exposure;
- Provide benchmarks against which trends in overall air quality can be compared and devise performance indicators for assessing the impact of an air quality management plan or strategy;
- Provide a data base for evaluation of effects; of urban, land use management, and transportation planning; of development and evaluation of abatement strategies; and of development and validation of atmospheric processes and models.

Another objective in the monitoring and management programme is to provide input data for modeling. These data will serve as a background for performing air quality planning and abatement studies. Model results may also serve as input to other studies such as health related investigations and exposure assessments.

The ambient air quality monitoring network Bangladesh consists of eleven (11) fixed Continuous Air Monitoring Stations (CAMS). The locations of the 11 CAMS are shown in Figure 1. Brief description of the monitoring stations and the list of measured parameters recorded at each station are provided in Table 2.

Table 2: Description of Monitoring Network:

City	ID	Location	Lat/Lon	Monitoring capacity				
	CAMS-1	SangshadBhaban, Sher-e-Bangla Nagar	23.76N 90.39E	PM10, PM2.5, CO, SO2, NOX, O3, and HC concentrations with meteorological parameters.				
Dhaka	CAMS-2	Firmgate	23.76N 90.39E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological parameters.				
	CAMS-3	Darus-Salam	23.78N 90.36E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.				
Gazipur	CAMS-4	Gazipur	23.99N 90.42E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.				
Narayangonj	CAMS-5	Narayangonj	23.63N 90.51E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.				
Chittagong	CAMS-6	TV station, Khulshi	22.36N 91.80E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological parameters.				
Officiagorig	CAMS-7	Agrabad	22.32N 91.81E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.				
Khulna	CAMS-8	Baira	22.48N 89.53E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological parameters				
Rajshahi	CAMS-9	Sopura	24.38N 88.61E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological				

City	ID	Location	Lat/Lon	Monitoring capacity
				parameters.
Sylhet	CAMS-10	IRAG I TACANT	91.87E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.
Barisal	CAMS-11	DFO office campus	90.36E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.




Figure 1: CAMS Location in Bangladesh

Monitoring data from network stations are transferred to a central data centre at the Department of Environment office in Dhaka and simultaneously transferred to Air Quality Management System based on NILU AIRQUIS system established under BAPMAN project. The data are stored in AIRQUIS database for quality check, control, evaluation, validation, statistical analysis. Quality controlled data are then stored in the final database for further analysis, reporting, presentations and future use.

3. **Monthly Air Quality**

The data presented in this report are based on monitoring results of air quality parameters during the month of May, 2018 from11 CAMS operated by CASE-DoE monitoring network. Table-3 summarizes the basic statistics of the data along with the data capture rate and the number of days for which specific pollutant exceeded the Bangladesh National Ambient Air Quality Standard (BNAAQS). Since NOx have only annual standard, so for this pollutant daily 24-hours average concentration levels were compared with the annual average. During data quality control some data, which are outliers (beyond 3rd and 97th percentile) and inconsistent data, were flagged as invalid and those were not included in the analysis. Time series plots based on the data generated in the CAMS are also given in Annexes.

In general the data capture rate found little bit low compare to the previous month except few parameters in some CAMS in operation. During the reporting month several analyzers were not functional for some days due to routine preventive/corrective maintenance.

Inspection of the available data shows that there were few occurrences of non-compliance for PM10& PM2.5 levels at all monitoring stations during the month of May, 2018. It is observed that the 24 hr average concentration level of PM2.5 exceeded BNAAQS for 12 days in BARC and 07 days in D.salam CAMS, and 03 days at Rajshahi CAMS, 01day at Gazipur CAMS during the month of May, 2018. For PM10 non-attainment with respect to BNAAQS occurred for 03 days at Narayanganj and BARC CAMS, 01 day in D salam CAMS respectively during the reporting month. The monthly average concentration level of PM2.5 and PM10 measured at different CAMS were found 15.25-59.49 μ g/m3 and 35-110 μ g/m³ respectively during the monitoring month of May, 2018. The concentration level of those was found 25.25-84.49 μ g/m3 and 63.88-205.08 μ g/m³ in the month of April, 2018. From the time series plot of both PM10 and PM2.5, it is seen in most cases PM concentrations less than the BNAAQS. 24-hours average PM levels in all cities monitored are decreasing compared to previous month because of increasing average wind speed and some precipitation along with some other emission situations. It is also observed that gaseous pollutants measured at different CAMS did not exceed the BNAAQS during the month of May, 2018.

In general PM pollution levels in the cities monitored during the reporting month found lower compared to previous month in respect of public health. Usually in the dry seasons the pollution level reached highest peak compare to the wet season, which is reflected in the data monitored in all CAMS during the month of May, 2018. It is observed that average wind speed and precipitation compared to previous month has a increasing tendency, which increases the rate of dispersion of the pollutants and this might be a reason for observed lower PM concentration.

Daily air quality index (AQI) values were calculated based on the available air quality data and summary of the AQI by categories are presented in annex Figure 5. Summary data shows majority of the days AQI values were Caution, Good and Moderate along with some unhealthy.

4. Summary and conclusion

Data obtained from CAMS operated under DoE air quality monitoring network during May, 2018 have been analyzed and reported. Data availability was 60-90% for all the criteria pollutants monitored at different CAMS with few exceptions. Air quality data for few pollutants were not reported because either the analyzer was not functional or the data capture rate was too low. From the analysis of the data following conclusion can be drawn:

- PM₁₀ and PM_{2,5} are the most critical pollutants. 24-hour average for both PM10 and PM2.5concentrations were found lower than the BNAAQS during the month of May, 2018 with few exceptions. It is observed that the average concentration level of PM2.5 and PM10 measured at different CAMS were 15.25-59.49 μg/m3 and 35-110 μg/m³ respectively during the monitoring month of May, 2018
- The gaseous pollutants measured at different CAMS did not exceed limit values of the BNAAQS.
- Due to increasing average wind speed and some precipitation during May, 2018, the pollution concentration levels showed lower than the previous month.
- Monthly summary of calculated AQI values based on data from different CAMS showed that during this month most of day's air quality was in all categories with the majority of Moderate to Unhealthy and in all cases most frequent responsible pollutant was PM2.5.

During the reporting month number of analyzer especially gaseous analyzers of some CAMS did not produced data because of their repair and maintenance activities.

Table 3: Summary Air Quality and Meteorological data measured during May, 2018 at different CAMS operated under DoE

NO2 - 24 hr	CAMS-11 (Barisal)	CAMS-10 (Rajshahi)	CAMS-9 (Khulna) ^a	CAMS-8 (Sylhet)	CAMS-7 Agrabad- (Chittagon g)	CAMS-6 TV-St (Chittagong)	CAMS-5 (Narayong anj)	CAMS-4 (Gazipur)	CAMS-3 (D-salam)	CAMS-2 (BARC) ^a	CAMS-1 (S- Bhaban)	Summary	NAAQS	unit	Parameter
NO2 - 24 hr	DNA	2.23	5.78	DNA	DNA	DNA	7.40	DNA	7.33	DNA	DNA	Average			
NO2 - 24 hr	DNA	3.15	12.4	DNA	DNA	DNA	16.8	DNA	8.88	DNA	DNA	Max			
NO2 - 24 hr	DNA	1.23	2.04	DNA	DNA	DNA	4.74	DNA	5.34	DNA	DNA	Min	140	nnh	SO ₂ -24 hr
NO2 - 24 hr	DNA	0	0	DNA	DNA	DNA	0	DNA	0	DNA	DNA	Excedance(Days)		ppo	50 ₂ -24 m
NO2 - 24 hr	DNA	82	43	DNA	DNA	DNA	41	DNA	78	DNA	DNA	Data capture(%)			
NO2 -24 hr	28.4	DNA	31.0	10.8	23.0	DNA	16.9	5.57	17.0	DNA	DNA				
NO2 -24 hr	32.3	DNA	37.2	16.2	36.9	DNA	33.7	12.3	52.9	DNA	DNA	Max			
CO-1 hr Ppm Facedance(Days) DNA	25.8	DNA	27.9	8.01	14.0	DNA	7.00	1.62	2.14	DNA	DNA	Min	53	la	NO 24 hr
CO-1hr	0	DNA	0	0	0	DNA	0	0	0	DNA	DNA	Excedance(Days)		ppo	NO ₂ -24 III
CO-1 hr Ppm Fig. Ppm Fig. Ppm Fig. Average DNA 1.36 2.67 DNA 0.29 DNA 4.85 DNA 0.60 0.84	86	DNA	28	97	66	DNA	90	64	77	DNA	DNA	Data capture(%)			
CO-1 hr ppm 35	DNA	0.84	0.60		4.85		0.29		2.67			Average			
Post	DNA	2.65	2.64		7.84	DNA	3.43	DNA	7.82	5.70	DNA	Max	35		
Part	DNA	0.06	0.05	DNA	2.14	DNA	0.05	DNA	1.42	0.05	DNA	Min			GO 11
Page	DNA	0	0	DNA	0	DNA	0	DNA	0	0	DNA	Excedance(Hour)		ppm	CO- 1 hr
Ppm Ppm	DNA	87	22	DNA	73	DNA	31	DNA	88	71	DNA	Data capture(%)			
Ppm Ppm	DNA	0.84	0.56	DNA	4.83	DNA	0.28	DNA	2.65	1.48	DNA	Average			
Ppm Ppm Ppm Ppm Ppm Ppm Ppm Excedance(Hour	DNA	2.05	1.88	DNA	6.82	DNA	1.79	DNA	6.64	4.42	DNA	Max			
Pata capture(%) DNA 0 0 DNA 0 0 DNA 0 DNA 0 DNA 0 DNA 0 DNA DN	DNA	0.17	0.08	DNA	3.24	DNA	0.07	DNA	1.55	0.09	DNA	Min	_		CO 9h
	DNA	0	0	DNA	0	DNA	0	DNA	0	0	DNA	Excedance(Hour)	9	ppm	CO-8nr
O ₃ -1hr Ppb Average Max Max DNA	DNA	84	18	DNA	74	DNA	30	DNA	86	61	DNA	Data capture(%)			
O ₃ -1hr ppb Max DNA 44.4 26.1 DNA DNA DNA DNA 58.9 Min DNA 0.05 0.43 DNA DNA <td< td=""><td>DNA</td><td></td><td>DNA</td><td></td><td></td><td></td><td></td><td></td><td>2.33</td><td></td><td></td><td>Average</td><td></td><td></td><td></td></td<>	DNA		DNA						2.33			Average			
O ₃ -1hr ppb Min DNA 0.05 0.43 DNA DNA DNA DNA DNA 0.05 Excedance(Hour) DNA 0 0 DNA 0 0 DNA	DNA			DNA	DNA	DNA		DNA			DNA	Max			
Pata capture(%) DNA DNA	DNA	0.05	DNA	DNA	DNA	DNA	DNA	DNA	0.43	0.05	DNA	Min	120		O 1hr
	DNA	0	DNA	DNA	DNA	DNA	DNA	DNA	0	0	DNA	Excedance(Hour)	120	ррв	O ₃ -1111
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	DNA	68	DNA	DNA	DNA	DNA	DNA	DNA	65	98	DNA	Data capture(%)			
	DNA	1.82	DNA	DNA	DNA	DNA		DNA	2.28	5.77	DNA	Average			
O ₃ -8hr ppb 80 Excedance(Hour) DNA 0 0 DNA DNA DNA DNA DNA DNA DNA 0	DNA	28.9	DNA	DNA	DNA	DNA		DNA	18.7	24.9	DNA	Max			
Excedance(Hour) DNA 0 0 DNA DNA DNA DNA DNA DNA DNA 0	DNA	0.18	DNA	DNA	DNA	DNA	DNA	DNA	0.53	0.49	DNA	Min	80	nnh	O Shr
	DNA	0	DNA	DNA	DNA	DNA		DNA	0	0		Excedance(Hour)	อบ 	ррв	O ₃ -8111
Data capture(%) DNA 98 60 DNA DNA DNA DNA DNA DNA 61	DNA	61	DNA	DNA	DNA	DNA	DNA	DNA	60	98	DNA	Data capture(%)			


CAMS= Continuous Air Monitoring Station, NAAQS=National Ambient Air Quality Standard, a=Refurbisment CAMS, PM= Particulate Matter
DNA= Data Not Available


Table 3: Summary Air Quality and Meteorological data measured during May, 2018 at different CAMS operated under DoE (Cont'd)


Parameter	unit	NAAQS	Summary	CAMS-1 (S-Bhaban)	CAMS-2 (BARC) ^a	CAMS-3 (D-salam)	CAMS-4 (Gazipur)	CAMS-5	CAMS-6 TV-St (Chittagong)	CAMS-7	CAMS-8 (Sylhet)	CAMS-9 (Khulna) ^a	CAMS-10 (Rajshahi)	CAMS-11 (Barisal)
			Average	DNA	59.3	53.3	39.1	33.8	DNA	DNA	20.8	14.5	45.5	23.9
			Max	DNA	126	145	67.6	61.4	DNA	DNA	38.7	30.2	83.4	38.1
PM _{2.5} -24hr	μg/m ³	65	Min	DNA	24.7	21.9	20.3	18.9	DNA	DNA	10.9	6.35	17.2	12.2
1112.5 -2-4111	μg/III	0.5	Excedance(Days)	DNA	12	7	1	0	DNA	DNA	0	0	3	0
			Data capture(%)	DNA	98	69	55	69	DNA	DNA	81	46	92	42
			Average	DNA	110	89.1	63.6	106	DNA	81.4	53.4	34.6	95.0	45.4
			Max	DNA	181	166	99.8	164	DNA	131	106	71.7	130	62.1
PM ₁₀ -24hr		μg /m ³ 150	Min	DNA	55.7	48.4	32.2	44.0	DNA	39.5	25.1	15.7	60.1	27.8
1 11110 - 2-4111	μg/III		Excedance(Days)	DNA	3	1	0	3	DNA	0	0	0	0	0
			Data capture(%)	DNA	98	91	56	72	DNA	55	87	45	65	75
			Average	DNA	DNA	187	DNA	DNA	DNA	198	181	DNA	159	179
Solar rad. 1hr	watt/m ²	m ² NA	Max	DNA	DNA	971	DNA	DNA	DNA	863	977	DNA	380	904
Solai Tau. IIII	watt/m	INA	Min	DNA	DNA	7.01	DNA	DNA	DNA	7.20	5.75	DNA	120	8.17
			Data capture(%)	DNA	DNA	97	DNA	DNA	DNA	70	97	DNA	95	85
		(%) NA	Average	DNA	DNA	75.9	DNA	DNA	87.6	76.5	82.6	DNA	84.0	83.1
Relative	(%)		Max	DNA	DNA	94.4	DNA	DNA	97.8	91.2	97.6	DNA	96.3	98.0
Humidity 1hr	(70)		Min	DNA	DNA	37.1	DNA	DNA	69.5	51.6	47.1	DNA	42.6	50.3
			Data capture(%)	DNA	DNA	97	DNA	DNA	10	73	97	DNA	94	85
			Average	DNA	DNA	28.2	DNA	DNA	28.5	29.3	26.0	DNA	26.9	29.2
	(°c)	(°c) NA	Max	DNA	DNA	35.2	DNA	DNA	32.1	36.2	33.4	DNA	31.8	35.9
Ambient Temp.		1421	Min	DNA	DNA	22.4	DNA	DNA	20.3	23.5	20.3	DNA	17.1	21.9
1hr			Data capture(%)	DNA	DNA	97	DNA	DNA	10	73	97	DNA	96	86
			Average	DNA	DNA	0.20	1.70	DNA	DNA	1.52	0.37	DNA	10.7	DNA
Rainfall 1hr	(m.m.)	(m.m.) NA	Max	DNA	DNA	4.81	3.48	DNA	DNA	22.5	6.58	DNA	26.6	DNA
	(==-		Min	DNA	DNA	0.02	0.07	DNA	DNA	0.09	0.02	DNA	0.03	DNA
			Data capture(%)	DNA	DNA	40	69	DNA	DNA	73	48	DNA	3	DNA

CAMS= Continuous Air Monitoring Station, NAAQS=National Ambient Air Quality Standard, a=Refurbisment CAMS, PM= Particulate Matter DNA= Data Not Available,

FIGURE 3: TIME SERIES OF ALL PARAMETERS (SO₂, NOx AND O₃) MEASURED IN ALL CAMS DURING MAY, 2018













FIGURE 4: TIME SERIES OF ALL PARAMETERS (CO,PM10 AND PM2.5) MEASURED IN CAMS DURING MAY, 2018










Figure 5: Monthly Summary of AQI for month of May, 2018

