Government of the People's Republic of Bangladesh Ministry of Environment and Forests

Monthly Air Quality Monitoring Report Reporting Month: JUNE, 2019

Clean Air and Sustainable Environment Project (নির্মল বায়ু এবং টেকসই পরিবেশ প্রকল্প)

July, 2019

Department of Environment

Content

2	
2Monitoring Ne	twork
	2
3Monthly Air C	
4 Summary and conc	
5. ANNEX9	

1. **Introduction**

Air quality management plans based on knowledge of sources, appropriate air quality standards, accurate air quality data, and effective incentives; and enforcement policies is therefore needed to be adopted.

At this backdrop, real-time measurements of ambient level pollutants were made at 8 major cities (Namely, Dhaka, Narayangonj, Gazipur, Chittagong, Rajshahi, Khulna, Barisal and Sylhet) of Bangladesh. The data generated will be used to define the nature and severity of pollution in the cities; identify pollution trends in the country; and develop air models and emission inventories.

The program encompasses operation of the sampling and monitoring network, and quality assurance activities to ensure the quality of the data collected and disseminated by the CASE project.

CASE project monitors the criteria pollutants such as carbon monoxide, nitrogen dioxide, ozone, sulfur dioxide, PM10 and PM2.5. Monitoring is performed to demonstrate attainment or non-attainment of national ambient air quality standards to assess the trends of air pollution levels.

The main purpose of this report is to present, analyze and make available of these data to the general public, stakeholders, researchers and policy makers to develop effective air pollution abatement strategies. This report summarizes the air quality data collected at the different CAMS in operation under the Department of Environment (DoE) air quality monitoring network.

The basis for discussion of air quality has been the data collected from the Air Quality monitoring Network stations under DoE. The data have been quality controlled and the air pollution levels have been compared to the Bangladesh Ambient Air Quality Standard as adopted in 2005. Table 1 represents the current and approved air quality standards for Bangladesh.

Pollutant	Objective	Average			
СО	10 mg/m ³ (9 ppm)	8 hours(a)			
	40 mg/m ³ (35 ppm)	1 hour(a)			
Pb	$0.5 \mu g/m^3$	Annual			
NO _x	100 µg/m³ (0.053 ppm)	Annual			
PM10	50 μg/m ³	Annual (b)			
PIVITO	150 μg/m ³	24 hours (c)			
PM2.5	15 μg/m ³	Annual			
PIVIZ.3	65 μg/m ³	24 hours			
	235 µg/m³ (0.12 ppm)	1 hour (d)			
O_3	157 μg/m³ (0.08 ppm)	8 hours			
80	80 μg/m³ (0.03 ppm)	Annual			
SO ₂	365 µg/m³ (0.14 ppm)	24 hours (a)			

Table 1: National Ambient Air Quality Standards for Bangladesh

Notes:

- (a) Not to be exceeded more than once per year
- (b) The objective is attained when the annual arithmetic mean is less than or equal to 50 ug/m³
- (c) The objective is attained when the expected number of days per calendar year with a 24- hour average of 150 $\mu g/m^3$ is equal to or less than 1
- (d) The objective is attained when the expected number of days per calendar year with the maximum hourly average of 0.12 ppm is equal to or less than 1 (Source: AQMP, DOE).

2. Monitoring Network

The main objective of the Bangladesh AQM network is to provide reliable information to the authorities and to the public about the air quality in most populous cities of Bangladesh.

As a part of the air quality monitoring strategy, several objectives can be achieved, including:

- Establish source/receptor relationships:
- Identify which are the pollutants of concern and their current status;
- Show how widespread air pollution problems are and indicate the general extent of the public exposure;
- Provide benchmarks against which trends in overall air quality can be compared and devise performance indicators for assessing the impact of an air quality management plan or strategy;
- Provide a data base for evaluation of effects; of urban, land use management, and transportation planning; of development and evaluation of abatement strategies; and of development and validation of atmospheric processes and models.

Another objective in the monitoring and management programme is to provide input data for modeling. These data will serve as a background for performing air quality planning and abatement studies. Model results August also serve as input to other studies such as health related investigations and exposure assessments.

The ambient air quality monitoring network Bangladesh consists of eleven (11) fixed Continuous Air Monitoring Stations (CAMS). The locations of the 11 CAMS are shown in Figure 1. Brief description of the monitoring stations and the list of measured parameters recorded at each station are provided in Table 2.

Table 2: Description of Monitoring Network:

City	ID	Location	Lat/Lon	Monitoring capacity
Dhaka	CAMS-1	SangshadBhaban, Sher-e-Bangla Nagar	23.76N 90.39E	PM10, PM2.5, CO, SO2, NOX, O3, and HC concentrations with meteorological parameters.
	CAMS-2	Firmgate	23.76N 90.39E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological parameters.
	CAMS-3	Darus-Salam	23.78N 90.36E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.
Gazipur	CAMS-4	Gazipur	23.99N 90.42E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.
Narayangonj	CAMS-5	Narayangonj	23.63N 90.51E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.
Chittagang	CAMS-6	TV station, Khulshi	22.36N 91.80E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological parameters.
Chittagong	CAMS-7	Agrabad	22.32N 91.81E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.
Khulna	CAMS-8	Baira	22.48N 89.53E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological

City	ID	Location	Lat/Lon	Monitoring capacity
				parameters
			24.38N	PM10, PM2.5, CO, SO2, NOX,
Rajshahi	CAMS-9	Sopura	88.61E	O3, and HC with meteorological
				parameters.
		Pod Crocont	24.89N	PM10, PM2.5, CO, SO2, NOX and
Sylhet	CAMS-10	Red Crecent Campus	91.87E	O3 with meteorological
		Campus		parameters.
			22.71N	PM10, PM2.5, CO, SO2, NOX and
Barisal	CAMS-11	DFO office campus	90.36E	O3 with meteorological
				parameters.




Figure 1: CAMS Location in Bangladesh

Monitoring data from network stations are transferred to a central data centre at the Department of Environment office in Dhaka and simultaneously transferred to Air Quality Management System based on NILU AIRQUIS system established under BAPMAN project. The data are stored in AIRQUIS database for quality check, control, evaluation, validation, statistical analysis. Quality controlled data are then stored in the final database for further analysis, reporting, presentations and future use.

3. Monthly Air Quality

The data presented in this report are based on monitoring results of air quality parameters during the month of June, 2019 from 11 CAMS operated by CASE-DoE monitoring network. Table-3 summarizes the basic statistics of the data along with the data capture rate and the number of days for which specific pollutant exceeded the Bangladesh National Ambient Air Quality Standard (BNAAQS). Since NOx have only annual standard, so for this pollutant daily 24-hours average concentration

levels were compared with the annual average. During data quality control some data, which are outliers (beyond 3rd and 97th percentile) and inconsistent data, were flagged as invalid and those were not included in the analysis. Time series plots based on the data generated in the CAMS are also given in Annexes. During the reporting month several analyzers were not functional for some days due to routine preventive/corrective maintenance.

Inspection of the available data shows that there were no occurrences of non-compliance for PM10& PM2.5 levels at all monitoring stations except one station during the month of June, 2019. It is observed that the 24 hr average concentration level of PM2.5 exceeded BNAAQS for 8 days in BARC, 1 day in Gazipur CAMS; On the other hand, 24 hr average concentration level of PM10 from the BNAAQS exceeded for 3 days in Narayanganj, 5 days in BARC CAMS, 01 day in Gazipur CAMS. The range of monthly average concentration of PM2.5 and PM10 measured at different CAMS were 15.7-58 μ g/m3 and 37.4-105 μ g/m³ respectively during the monitoring month of June, 2019. From BNAAQS point of view, concentrations of PM cross their standards few days (Fig-3). 24-hours average PM levels in all cities decreases compared to May 2019 due to start a wide range of precipitation. It is also observed that gaseous pollutants measured at different CAMS did not exceed the BNAAQS during the month of June, 2019.

In general PM pollution levels in the cities monitored during the reporting month found lower in respect of public health. Usually in the dry seasons the pollution level reached highest peak compare to the wet season, which is reflected in the data monitored in all CAMS during the month of June, 2019.

Daily air quality index (AQI) values were calculated based on the available air quality data and summary of the AQI by categories are presented in annex Figure 5. Summary data shows that AQI values were Good to Moderate along with few caution in couple of CAMS.

4. Summary and conclusion

Data obtained from CAMS operated under DoE air quality monitoring network during June, 2019 have been analyzed and reported. Data availability was 50-90% for all the criteria pollutants monitored at different CAMS with few exceptions. Air quality data for few pollutants were not reported because either the analyzer was not functional or the data capture rate was too low. From the analysis of the data following conclusion can be drawn:

- PM₁₀ and PM_{2,5} are the most critical pollutants. From BNAAQS point of view, 24-hour average for both PM10 and PM2.5 concentrations were found lower in this month. It is observed that the average concentration level of PM2.5 and PM10 measured at different CAMS were 15.7-58 μg/m3 and 37.4-105 μg/m³ respectively during the monitoring month of June, 2019.
- The gaseous pollutants measured at different CAMS did not exceed limit values of the BNAAQS.
- During June, 2019, the pollution concentration level was lower because there
 was some remarkable variation of average wind speed and precipitation.

Monthly summary of calculated AQI values based on data from different CAMS showed that during this month most of day's air quality was in all categories with the majority of Good to Moderate along with few caution in couple of CAMS and in most of the cases responsible pollutant was PM2.5.

During the reporting month, some of the analyzers especially gaseous analyzers of some CAMS did not produce data because of their repair and maintenance activities.

Table 3: Summary Air Quality and Meteorological data measured during JUNE, 2019 at different CAMS operated under DoE

Parameter	unit	NAAQS	Summary	CAMS-1 (S-Bhaban)	CAMS-2 (BARC) ^a	CAMS-3 (D-salam)	CAMS-4 (Gazipur)	CAMS-5 (Narayong anj)	CAMS-6 TV-St (Chittagong)	CAMS-7 Agrabad- (Chittagon g)	CAMS-8 (Sylhet)	CAMS-9 (Khulna) ^a	CAMS-10 (Rajshahi) a	CAMS-11 (Barisal)				
			Average	5.75	DNA	DNA	0.98	3.90	DNA	0.88	2.02	DNA	2.39	1.69				
			Max	9.95	DNA	DNA	1.41	10.9	DNA	1.13	2.48	DNA	8.51	2.49				
SO ₂ -24 hr	ppb	140	Min	3.77	DNA	DNA	0.61	0.42	DNA	0.60	1.75	DNA	0.94	0.89				
50 ₂ -24 m	ppo	140	Excedance(Days)	0	DNA	DNA	0	0	DNA	0	0	DNA	0	0				
			Data capture(%)	47	DNA	DNA	38	70	DNA	41	85	DNA	80	89				
			Average	DNA	DNA	15.9	DNA	12.6	DNA	DNA	15.1	DNA	16.3	DNA				
			Max	DNA	DNA	22.5	DNA	17.6	DNA	DNA	24.9	DNA	20.1	DNA				
NO ₂ -24 hr	nnh	53	Min	DNA	DNA	10.4	DNA	6.57	DNA	DNA	10.3	DNA	7.73	DNA				
NO ₂ -24 III	ppb	(Annual)	Excedance(Days)	DNA	DNA	0	DNA	0	DNA	DNA	0	DNA	0	DNA				
			Data capture(%)	DNA	DNA	74	DNA	45	DNA	DNA	84	DNA	92	DNA				
		35	Average	0.98	0.56	1.32	0.58	0.66	DNA	0.31	0.45	DNA	0.67	DNA				
			Max	3.29	1.54	8.48	3.82	1.32	DNA	0.81	2.33	DNA	1.85	DNA				
CO- 1 hr			Min	0.54	0.13	0.07	0.10	0.32	DNA	0.05	0.09	DNA	0.05	DNA				
	ppm		Excedance(Hour)	0	0	0	0	0	DNA	0	0	DNA	0	DNA				
			Data capture(%)	45	95	60	63	85	DNA	93	85	DNA	85	DNA				
		9	Average	0.96	0.56	1.33	0.58	0.66	DNA	0.31	0.45	DNA	0.69	DNA				
	ppm		Max	2.52	1.37	4.55	1.39	1.29	DNA	0.63	1.41	DNA	1.67	DNA				
CO 8hm			Min	0.55	0.28	0.16	0.18	0.36	DNA	0.12	0.19	DNA	0.09	DNA				
CO-8hr			Excedance(Hour)	0	0	0	0	0	DNA	0	0	DNA	0	DNA				
								Data capture(%)	43	95	58	60	82	DNA	93	84	DNA	86
			Average	DNA	18.4	2.12	8.94	DNA	DNA	DNA	3.47	DNA	DNA	6.04				
		pb 120	Max	DNA	83.9	7.12	32.0	DNA	DNA	DNA	30.1	DNA	DNA	17.3				
O ₃ -1hr	la		Min	DNA	0.06	0.79	3.16	DNA	DNA	DNA	0.07	DNA	DNA	0.28				
	ppo		Excedance(Hour)	DNA	0	0	0	DNA	DNA	DNA	0	DNA	DNA	0				
			Data capture(%)	DNA	53	71	59	DNA	DNA	DNA	85	DNA	DNA	91				
O ₃ -8hr			Average	DNA	19.9	2.11	8.76	DNA	DNA	DNA	3.41	DNA	DNA	6.02				
		80	Max	DNA	56.5	4.06	20.1	DNA	DNA	DNA	20.7	DNA	DNA	15.0				
	nnh		Min	DNA	0.28	1.33	3.58	DNA	DNA	DNA	0.17	DNA	DNA	0.68				
	ppb	OU	Excedance(Hour)	DNA	0	0	0	DNA	DNA	DNA	0	DNA	DNA	0				
			Data capture(%)	DNA	38	69	55	DNA	DNA	DNA	84	DNA	DNA	90				

CAMS= Continuous Air Monitoring Station, NAAQS=National Ambient Air Quality Standard, a=Refurbisment CAMS, PM= Particulate Matter
DNA= Data Not Available


Table 3: Summary Air Quality and Meteorological data measured during JUNE, 2019 at different CAMS operated under DoE (Cont'd)


Parameter	unit	NAAQS	Summary	CAMS-1 (S- Bhaban)	CAMS-2 (BARC) ^a	CAMS-3 (D-salam)	CAMS-4 (Gazipur)	CAMS-5	CAMS-6 TV-St (Chittagong)	CAMS-7	CAMS-8 (Sylhet)	CAMS-9 (Khulna) ^a	CAMS-10 (Rajshahi)	CAMS-11 (Barisal)	
			Average	18.9	58.0	33.2	33.5	29.4	DNA	16.4	20.1	19.2	33.7	15.7	
			Max	37.0	99.1	58.9	82.2	65.2	DNA	22.7	39.1	40.7	54.7	28.0	
PM _{2.5} -24hr	μg/m ³	65	Min	12.3	34.1	17.1	13.1	13.1	DNA	6.29	9.31	3.87	19.8	9.37	
1112.5	μg/III	05	Excedance(Days)	0	8	0	1	1	DNA	0	0	0	0	0	
			Data capture(%)	44	88	65	53	75	DNA	92	60	20	53	89	
			Average	43.0	105	58.4	64.1	102	DNA	64.6	43.5	36.0	54.0	37.4	
			Max	80.4	186	105	152	298	DNA	101	77.2	57.6	99.3	57.5	
PM ₁₀ -24hr	3	150	Min	26.7	45.9	27.6	25.2	30.0	DNA	27.4	22.3	21.3	14.1	21.5	
1 W1 ₁₀ -24m	μg/m ³		Excedance(Days)	0	5	0	1	3	DNA	0	0	0	0	0	
			Data capture(%)	47	95	65	56	84	DNA	86	84	17	77	91	
		NA NA	Average	143	DNA	DNA	DNA	DNA	DNA	209	174	DNA	DNA	187	
Solar rad. 1hr	watt/m ²		Max	754	DNA	DNA	DNA	DNA	DNA	960	987	DNA	DNA	967	
Solar rad. Ilir			Min	5.80	DNA	DNA	DNA	DNA	DNA	6.79	5.92	DNA	DNA	8.03	
			Data capture(%)	48	DNA	DNA	DNA	DNA	DNA	97	87	DNA	DNA	93	
		(%) NA	Average	76.6	66.5	DNA	DNA	77.0	DNA	76.2	83.7	DNA	DNA	81.8	
Relative	(0/2)		Max	91.6	73.2	DNA	DNA	90.3	DNA	92.3	99.4	DNA	DNA	97.7	
Humidity 1hr	(/0)		Min	45.7	58.2	DNA	DNA	46.7	DNA	46.5	54.0	DNA	DNA	55.0	
			Data capture(%)	48	94	DNA	DNA	92	DNA	97	87	DNA	DNA	93	
				Average	26.7	27.2	DNA	DNA	31.1	DNA	26.3	28.8	DNA	DNA	30.9
	(°c)	NA	Max	34.4	45.0	DNA	DNA	37.7	DNA	28.8	35.5	DNA	DNA	37.4	
Ambient Temp.	()	NA NA	Min	20.2	20.5	DNA	DNA	24.1	DNA	23.9	23.1	DNA	DNA	25.2	
1hr			Data capture(%)	48	94	DNA	DNA	92	DNA	97	87	DNA	DNA	93	
			Average	0.70	DNA	7.68	1.63	DNA	DNA	0.12	0.41	DNA	2.78	DNA	
Rainfall 1hr	(m.m.)	n.m.) NA	Max	14.2	DNA	15.2	3.28	DNA	DNA	6.21	10.0	DNA	5.86	DNA	
	(111.111.)		Min	0.02	DNA	1.01	0.04	DNA	DNA	0.02	0.02	DNA	1.80	DNA	
			Data capture(%)	41	DNA	60	64	DNA	DNA	90	68	DNA	90	DNA	


CAMS= Continuous Air Monitoring Station, NAAQS=National Ambient Air Quality Standard, a=Refurbisment CAMS, PM= Particulate Matter

DNA= Data Not Available

FIGURE 2: TIME SERIES OF ALL PARAMETERS (SO₂, NOx AND O₃) MEASURED IN ALL CAMS DURING JUNE, 2019













FIGURE 3: TIME SERIES OF ALL PARAMETERS (CO,PM10 AND PM2.5) MEASURED IN CAMS DURING JUNE, 2019










Figure 4: Monthly Summary of AQI for month of JUNE, 2019

