

Government of the People's Republic of Bangladesh

Ministry of Environment and Forests

**Monthly Air Quality Monitoring Report
Reporting Month: January, 2019**

Clean Air and Sustainable Environment Project
(নির্মল বায়ু এবং টেকসই পরিবেশ প্রকল্প)

February, 2019

Department of Environment

Content

| | | |
|----|-----------------------------|---|
| 1. | Introduction..... | 1 |
| 2. | Monitoring Network | 2 |
| 3. | Monthly Air Quality | 3 |
| 4. | Summary and conclusion..... | 4 |
| 5. | ANNEX..... | 9 |

1. Introduction

Air quality management plans based on knowledge of sources, appropriate air quality standards, accurate air quality data, and effective incentives; and enforcement policies is therefore needed to be adopted.

At this backdrop, real-time measurements of ambient level pollutants were made at 8 major cities (Namely, Dhaka, Narayanganj, Gazipur, Chittagong, Rajshahi, Khulna, Barisal and Sylhet) of Bangladesh. The data generated will be used to define the nature and severity of pollution in the cities; identify pollution trends in the country; and develop air models and emission inventories.

The program encompasses operation of the sampling and monitoring network, and quality assurance activities to ensure the quality of the data collected and disseminated by the CASE project.

CASE project monitors the criteria pollutants such as carbon monoxide, nitrogen dioxide, ozone, sulfur dioxide, PM10 and PM2.5. Monitoring is performed to demonstrate attainment or non-attainment of national ambient air quality standards to assess the trends of air pollution levels.

The main purpose of this report is to present, analyze and make available of these data to the general public, stakeholders, researchers and policy makers to develop effective air pollution abatement strategies. This report summarizes the air quality data collected at the different CAMS in operation under the Department of Environment (DoE) air quality monitoring network.

The basis for discussion of air quality has been the data collected from the Air Quality monitoring Network stations under DoE. The data have been quality controlled and the air pollution levels have been compared to the Bangladesh Ambient Air Quality Standard as adopted in 2005. Table 1 represents the current and approved air quality standards for Bangladesh.

Table 1: National Ambient Air Quality Standards for Bangladesh

| Pollutant | Objective | Average |
|-----------------|-----------------------------------|--------------|
| CO | 10 mg/m ³ (9 ppm) | 8 hours(a) |
| | 40 mg/m ³ (35 ppm) | 1 hour(a) |
| Pb | 0.5 µg/m ³ | Annual |
| NO _x | 100 µg/m ³ (0.053 ppm) | Annual |
| PM10 | 50 µg/m ³ | Annual (b) |
| | 150 µg/m ³ | 24 hours (c) |
| PM2.5 | 15 µg/m ³ | Annual |
| | 65 µg/m ³ | 24 hours |
| O ₃ | 235 µg/m ³ (0.12 ppm) | 1 hour (d) |
| | 157 µg/m ³ (0.08 ppm) | 8 hours |
| SO ₂ | 80 µg/m ³ (0.03 ppm) | Annual |
| | 365 µg/m ³ (0.14 ppm) | 24 hours (a) |

Notes:

- (a) Not to be exceeded more than once per year
- (b) The objective is attained when the annual arithmetic mean is less than or equal to 50 µg/m³
- (c) The objective is attained when the expected number of days per calendar year with a 24-hour average of 150 µg/m³ is equal to or less than 1
- (d) The objective is attained when the expected number of days per calendar year with the maximum hourly average of 0.12 ppm is equal to or less than 1 (Source: AQMP, DOE).

2. Monitoring Network

The main objective of the Bangladesh AQM network is to provide reliable information to the authorities and to the public about the air quality in most populous cities of Bangladesh.

As a part of the air quality monitoring strategy, several objectives can be achieved, including:

- Establish source/receptor relationships;
- Identify which are the pollutants of concern and their current status;
- Show how widespread air pollution problems are and indicate the general extent of the public exposure;
- Provide benchmarks against which trends in overall air quality can be compared and devise performance indicators for assessing the impact of an air quality management plan or strategy;
- Provide a data base for evaluation of effects; of urban, land use management, and transportation planning; of development and evaluation of abatement strategies; and of development and validation of atmospheric processes and models.

Another objective in the monitoring and management programme is to provide input data for modeling. These data will serve as a background for performing air quality planning and abatement studies. Model results August also serve as input to other studies such as health related investigations and exposure assessments.

The ambient air quality monitoring network Bangladesh consists of eleven (11) fixed Continuous Air Monitoring Stations (CAMS). The locations of the 11 CAMS are shown in Figure 1. Brief description of the monitoring stations and the list of measured parameters recorded at each station are provided in Table 2.

Table 2: Description of Monitoring Network:

| City | ID | Location | Lat/Lon | Monitoring capacity |
|-------------|--------|-------------------------------------|---------------|--|
| Dhaka | CAMS-1 | SangshadBhaban, Sher-e-Bangla Nagar | 23.76N 90.39E | PM10, PM2.5, CO, SO2, NOX, O3, and HC concentrations with meteorological parameters. |
| | CAMS-2 | Firmgate | 23.76N 90.39E | PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological parameters. |
| | CAMS-3 | Darus-Salam | 23.78N 90.36E | PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters. |
| Gazipur | CAMS-4 | Gazipur | 23.99N 90.42E | PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters. |
| Narayangonj | CAMS-5 | Narayangonj | 23.63N 90.51E | PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters. |
| Chittagong | CAMS-6 | TV station, Khulshi | 22.36N 91.80E | PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological parameters. |
| | CAMS-7 | Agrabad | 22.32N 91.81E | PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters. |
| Khulna | CAMS-8 | Baira | 22.48N 89.53E | PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological parameters |
| Rajshahi | CAMS-9 | Sopura | 24.38N 88.61E | PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological |

| City | ID | Location | Lat/Lon | Monitoring capacity |
|---------|---------|--------------------|------------------|--|
| | | | | parameters. |
| Sylhet | CAMS-10 | Red Crecent Campus | 24.89N 91.87E | PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters. |
| Barisal | CAMS-11 | DFO office campus | 22.71N 90.36E | PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters. |



Figure 1: CAMS Location in Bangladesh

Monitoring data from network stations are transferred to a central data centre at the Department of Environment office in Dhaka and simultaneously transferred to Air Quality Management System based on NILU AIRQUIS system established under BAPMAN project. The data are stored in AIRQUIS database for quality check, control, evaluation, validation, statistical analysis. Quality controlled data are then stored in the final database for further analysis, reporting, presentations and future use.

3. Monthly Air Quality

The data presented in this report are based on monitoring results of air quality parameters during the month of January, 2019 from 11 CAMS operated by CASE-DoE monitoring network. Table-3 summarizes the basic statistics of the data along with the data capture rate and the number of days for which specific pollutant exceeded the Bangladesh National Ambient Air Quality Standard (BNAAQS). Since NO_x have only annual standard, so for this pollutant daily 24-hours average concentration levels were compared with the annual average. During data quality control some data, which are outliers (beyond 3rd and 97th percentile) and inconsistent data, were flagged as invalid and those were not included in the analysis. Time series plots based on the data generated in the CAMS are also given in Annexes.

In general the data capture rate found little bit low compare to the previous month except few parameters in some CAMS in operation. During the reporting month several analyzers were not functional for some days due to routine preventive/corrective maintenance.

Inspection of the available data shows that there were occurrences of non-compliance for PM₁₀ & PM_{2.5} levels at all monitoring stations during the month of January, 2019. It is observed that the 24 hr average concentration level of PM_{2.5} exceeded BNAQs for 25-31 days in CDA Chittagong CAMS, Sangsad CAMS, BARC CAMS, Gazipur CAMS, Narayanganj CAMS and Barishal CAMS and 13-23 days in Darussalam CAMS, Khulna CAMS, TV Station Chittagong CAMS, Rajshahi CAMS and Sylhet CAMS. On the other hand, 24 hr average concentration level of PM₁₀ from the BNAQs exceeded for 27-31 days in Darussalam, BARC, Gazipur, Rajshahi, & Barishal CAMS, 12-16 days in Narayanganj, Sylhet CAMS and in Khulna CAMS. The range of monthly average concentration of PM_{2.5} and PM₁₀ measured at different CAMS were 87-229 µg/m³ and 104-401 µg/m³ respectively during the monitoring month of January, 2019. From BNAQs point of view, concentrations of PM cross their standards most of the days (Fig-3). 24-hours average PM levels in all cities demonstrate increasing trends compared to December 2018 due to decrease the precipitation. It is also observed that gaseous pollutants measured at different CAMS did not exceed the BNAQs during the month of January, 2019.

In general PM pollution levels in the cities monitored during the reporting month found higher compared to previous month in respect of public health. Usually in the dry seasons the pollution level reached highest peak compare to the wet season, which is reflected in the data monitored in all CAMS during the month of January, 2019.

Daily air quality index (AQI) values were calculated based on the available air quality data and summary of the AQI by categories are presented in annex Figure 5. Summary data shows that AQI values were Extremely Unhealthy to Very Unhealthy along with few Unhealthy in couple of CAMS.

4. Summary and conclusion

Data obtained from CAMS operated under DoE air quality monitoring network during January, 2019 have been analyzed and reported. Data availability was 60-90% for all the criteria pollutants monitored at different CAMS with few exceptions. Air quality data for few pollutants were not reported because either the analyzer was not functional or the data capture rate was too low. From the analysis of the data following conclusion can be drawn:

- PM₁₀ and PM_{2.5} are the most critical pollutants. From BNAQs point of view, 24-hour average for both PM₁₀ and PM_{2.5} concentrations were found higher than the month of December, 2018 with few exceptions. It is observed that the average concentration level of PM_{2.5} and PM₁₀ measured at different CAMS were 87-229 µg/m³ and 104-401 µg/m³ respectively during the monitoring month of January, 2019.
- The gaseous pollutants measured at different CAMS did not exceed limit values of the BNAQs.
- As a month of winter during January, 2019, the pollution concentration level was higher than the previous month although there was no remarkable variation of average wind speed.
- Monthly summary of calculated AQI values based on data from different CAMS showed that during this month most of day's air quality was in all categories with the majority of Extremely Unhealthy to Very Unhealthy along with few Unhealthy in couple of CAMS and in most of the cases responsible pollutant was PM_{2.5}.

During the reporting month, some of the analyzers especially gaseous analyzers of some CAMS did not produce data because of their repair and maintenance activities.

Table 3: Summary Air Quality and Meteorological data measured during January, 2019 at different CAMS operated under DoE

| Parameter | unit | NAAQS | Summary | CAMS-1 (S. Bhaban) | CAMS-2 (BARC) ^a | CAMS-3 (D-salam) | CAMS-4 (Gazipur) | CAMS-5 (Narayong anj) | CAMS-6 TV-St (Chittagong) ^a | CAMS-7 Agrabad- (Chittagong) | CAMS-8 (Sylhet) | CAMS-9 (Khulna) ^a | CAMS-10 (Rajshahi) ^a | CAMS-11 (Barisal) |
|------------------------|------|-------------|-----------------|--------------------|----------------------------|------------------|------------------|-----------------------|--|------------------------------|-----------------|------------------------------|---------------------------------|-------------------|
| SO ₂ -24 hr | ppb | 140 | Average | 6.32 | 2.64 | 16.8 | 4.96 | 18.7 | DNA | DNA | 1.33 | DNA | 9.24 | DNA |
| | | | Max | 9.17 | 3.79 | 35.9 | 12.8 | 49.4 | DNA | DNA | 2.88 | DNA | 21.9 | DNA |
| | | | Min | 4.85 | 1.00 | 7.12 | 0.89 | 2.62 | DNA | DNA | 0.32 | DNA | 2.96 | DNA |
| | | | Excedance(Days) | 0 | 0 | 0 | 0 | 0 | DNA | DNA | 0 | DNA | 0 | DNA |
| | | | Data capture(%) | 95 | 97 | 99 | 94 | 99 | DNA | DNA | 71 | DNA | 88 | DNA |
| NO ₂ -24 hr | ppb | 53 (Annual) | Average | 63.3 | 141 | 93.2 | 63.7 | 105 | 18.0 | 41.0 | 48.2 | 51.7 | 57.5 | 28.7 |
| | | | Max | 191 | 217 | 151 | 104 | 140 | 24.3 | 52.0 | 125 | 140 | 110 | 143 |
| | | | Min | 25.4 | 80.4 | 21.9 | 12.7 | 77.0 | 13.2 | 29.8 | 19.6 | 28.7 | 13.3 | 7.94 |
| | | | Excedance(Days) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | Data capture(%) | 95 | 98 | 95 | 76 | 59 | 44 | 98 | 75 | 89 | 94 | 93 |
| CO- 1 hr | ppm | 35 | Average | 3.37 | 0.66 | DNA | 2.50 | 1.86 | 1.53 | DNA | 1.38 | 1.25 | 1.28 | 1.89 |
| | | | Max | 5.99 | 1.66 | DNA | 6.22 | 5.20 | 10.1 | DNA | 8.28 | 4.90 | 6.16 | 5.10 |
| | | | Min | 1.45 | 0.11 | DNA | 0.70 | 0.76 | 0.05 | DNA | 0.20 | 0.06 | 0.06 | 0.25 |
| | | | Excedance(Hour) | 0 | 0 | DNA | 0 | 0 | 0 | DNA | 0 | 0 | 0 | 0 |
| | | | Data capture(%) | 95 | 99 | DNA | 95 | 99 | 36 | DNA | 74 | 72 | 86 | 90 |
| CO-8hr | ppm | 9 | Average | 3.38 | 0.65 | DNA | 2.51 | 1.84 | 1.61 | DNA | 1.38 | 1.25 | 1.29 | 1.88 |
| | | | Max | 5.88 | 1.11 | DNA | 5.17 | 3.57 | 3.84 | DNA | 5.13 | 4.03 | 4.44 | 3.63 |
| | | | Min | 1.67 | 0.32 | DNA | 0.93 | 0.95 | 0.20 | DNA | 0.40 | 0.35 | 0.22 | 0.55 |
| | | | Excedance(Hour) | 0 | 0 | DNA | 0 | 0 | 0 | DNA | 0 | 0 | 0 | 0 |
| | | | Data capture(%) | 89 | 98 | DNA | 92 | 99 | 32 | DNA | 68 | 69 | 83 | 87 |
| O ₃ -1hr | ppb | 120 | Average | DNA | 4.41 | 6.72 | 23.8 | 5.11 | DNA | 17.4 | 9.80 | 12.8 | 12.0 | 18.3 |
| | | | Max | DNA | 30.7 | 41.1 | 72.7 | 30.5 | DNA | 52.2 | 35.8 | 40.0 | 38.7 | 62.9 |
| | | | Min | DNA | 1.32 | 0.12 | 2.15 | 0.71 | DNA | 3.65 | 0.22 | 0.05 | 0.16 | 0.29 |
| | | | Excedance(Hour) | DNA | 0 | 0 | 0 | 0 | DNA | 0 | 0 | 0 | 0 | 0 |
| | | | Data capture(%) | DNA | 97 | 92 | 60 | 99 | DNA | 40 | 23 | 63 | 94 | 84 |
| O ₃ -8hr | ppb | 80 | Average | DNA | 4.35 | 6.82 | 24.5 | 5.16 | DNA | 18.3 | 9.71 | 11.7 | 12.0 | 18.7 |
| | | | Max | DNA | 11.7 | 29.4 | 59.2 | 19.2 | DNA | 42.9 | 28.8 | 38.3 | 34.2 | 54.5 |
| | | | Min | DNA | 1.80 | 0.41 | 3.61 | 1.11 | DNA | 6.35 | 1.34 | 0.16 | 1.43 | 0.89 |
| | | | Excedance(Hour) | DNA | 0 | 0 | 0 | 0 | DNA | 0 | 0 | 0 | 0 | 0 |
| | | | Data capture(%) | DNA | 94 | 90 | 49 | 99 | DNA | 34 | 22 | 53 | 92 | 78 |

CAMS= Continuous Air Monitoring Station, NAAQS=National Ambient Air Quality Standard, a=Refurbishment CAMS,

PM= Particulate Matter, DNA= Data Not Available

Table 3: Summary Air Quality and Meteorological data measured during January, 2019 at different CAMS operated under DoE (Cont'd)

| Parameter | unit | NAAQS | Summary | CAMS-1 (S-Bhaban) | CAMS-2 (BARC) ^a | CAMS-3 (D-salam) | CAMS-4 (Gazipur) | CAMS-5 (Narayong anj) | CAMS-6 TV-St (Chittagong) ^a | CAMS-7 Agrabad- (Chittagong) | CAMS-8 (Sylhet) | CAMS-9 (Khulna) ^a | CAMS-10 (Rajshahi) ^a | CAMS-11 (Barisal) |
|-------------------------|---------------------|-------|-----------------|-------------------|----------------------------|------------------|------------------|-----------------------|--|------------------------------|-----------------|------------------------------|---------------------------------|-------------------|
| PM _{2.5} -24hr | µg /m ³ | 65 | Average | 131 | 149 | 205 | 192 | 229 | 87.2 | 141 | 90.9 | 138 | 152 | 150 |
| | | | Max | 229 | 192 | 271 | 281 | 325 | 111 | 211 | 147 | 228 | 260 | 206 |
| | | | Min | 53.4 | 114 | 151 | 102 | 111 | 64.5 | 69.2 | 49.8 | 71.9 | 81.1 | 93.3 |
| | | | Excedance(Days) | 28 | 31 | 21 | 25 | 27 | 13 | 31 | 18 | 22 | 23 | 31 |
| | | | Data capture(%) | 91 | 99 | 73 | 85 | 90 | 44 | 99 | 72 | 83 | 85 | 89 |
| PM ₁₀ -24hr | µg /m ³ | 150 | Average | DNA | 212 | 302 | 319 | 401 | 104 | DNA | 160 | 153 | 277 | 225 |
| | | | Max | DNA | 295 | 402 | 454 | 476 | 144 | DNA | 220 | 268 | 441 | 310 |
| | | | Min | DNA | 159 | 211 | 191 | 305 | 64.3 | DNA | 111 | 66.8 | 149 | 148 |
| | | | Excedance(Days) | DNA | 31 | 29 | 27 | 12 | 0 | DNA | 16 | 15 | 27 | 30 |
| | | | Data capture(%) | DNA | 99 | 96 | 85 | 36 | 40 | DNA | 74 | 84 | 94 | 93 |
| Solar rad. 1hr | watt/m ² | NA | Average | 112 | DNA | DNA | DNA | DNA | DNA | 144 | 165 | 425 | 153 | 147 |
| | | | Max | 504 | DNA | DNA | DNA | DNA | DNA | 620 | 661 | 954 | 540 | 640 |
| | | | Min | 5.07 | DNA | DNA | DNA | DNA | DNA | 6.74 | 7.46 | 318 | 0.25 | 7.87 |
| | | | Data capture(%) | 95 | DNA | DNA | DNA | DNA | DNA | 100 | 78 | 84 | 30 | 95 |
| Relative Humidity 1hr | (%) | NA | Average | 61.1 | 52.8 | DNA | DNA | 58.3 | 72.2 | 61.5 | 68.4 | 89.9 | DNA | 70.2 |
| | | | Max | 90.9 | 72.5 | DNA | DNA | 86.4 | 81.8 | 92.7 | 95.5 | 99.1 | DNA | 97.3 |
| | | | Min | 28.3 | 42.9 | DNA | DNA | 26.4 | 64.9 | 23.1 | 31.7 | 64.5 | DNA | 28.9 |
| | | | Data capture(%) | 95 | 99 | DNA | DNA | 99 | 44 | 99 | 78 | 88 | DNA | 95 |
| Ambient Temp. 1hr | (°c) | NA | Average | 17.3 | 23.0 | 20.2 | DNA | 22.3 | 22.5 | 22.6 | 20.3 | 17.0 | 19.7 | 21.1 |
| | | | Max | 27.1 | 32.7 | 25.1 | DNA | 32.1 | 31.4 | 26.5 | 29.6 | 21.3 | 29.3 | 32.6 |
| | | | Min | 9.92 | 16.6 | 11.3 | DNA | 15.4 | 15.7 | 19.8 | 13.8 | 13.6 | 11.1 | 13.0 |
| | | | Data capture(%) | 95 | 99 | 99 | DNA | 99 | 44 | 100 | 78 | 84 | 67 | 95 |
| Rainfall 1hr | (m.m.) | NA | Average | 0.96 | 0.16 | 7.97 | 1.68 | 0.35 | DNA | DNA | DNA | DNA | DNA | DNA |
| | | | Max | 6.24 | 7.70 | 15.3 | 3.40 | 1.83 | DNA | DNA | DNA | DNA | DNA | DNA |
| | | | Min | 0.02 | 0.02 | 0.47 | 0.09 | 0.02 | DNA | DNA | DNA | DNA | DNA | DNA |
| | | | Data capture(%) | 94 | 66 | 99 | 95 | 97 | DNA | DNA | DNA | DNA | DNA | DNA |

CAMS= Continuous Air Monitoring Station, NAAQS=National Ambient Air Quality Standard, a=Refurbishment CAMS,

PM= Particulate Matter, DNA= Data Not Available

FIGURE 2: TIME SERIES OF ALL PARAMETERS (SO₂, NO_x AND O₃) MEASURED IN ALL CAMS DURING JANUARY, 2019







FIGURE 3: TIME SERIES OF ALL PARAMETERS (CO,PM10 AND PM2.5) MEASURED IN CAMS DURING JANUARY, 2019







Figure 4: Monthly Summary of AQI for month of JANUARY, 2019

