Government of the People's Republic of Bangladesh Ministry of Environment and Forests

Monthly Air Quality Monitoring Report Reporting Month: April,2018

Clean Air and Sustainable Environment Project (নির্মল বায়ুএবং টেকসইপরিবেশপ্রকল্প)

May,2018

Department of Environment

Content

1.	Introduction	1
2.	Monitoring Network	2
	Monthly Air Quality	
4.	Summary and conclusion	4
5.	ANNEX	9

1. Introduction

Air quality management plans based on knowledge of sources, appropriate air quality standards, accurate air quality data, and effective incentives; and enforcement policies is therefore needed to be adopted.

At this backdrop, real-time measurements of ambient level pollutants were made at 8 major cities (Namely, Dhaka, Narayangonj, Gazipur, Chittagong, Rajshahi, Khulna, Barisal and Sylhet) of Bangladesh. The data generated will be used to define the nature and severity of pollution in the cities; identify pollution trends in the country; and develop air models and emission inventories.

The program encompasses operation of the sampling and monitoring network, and quality assurance activities to ensure the quality of the data collected and disseminated by the CASE project.

CASE project monitors the criteria pollutants such as carbon monoxide, nitrogen dioxide, ozone, sulfur dioxide, PM10 and PM2.5. Monitoring is performed to demonstrate attainment or non-attainment of national ambient air quality standards to assess the trends of air pollution levels.

The main purpose of this report is to present, analyze and make available of these data to the general public, stakeholders, researchers and policy makers to develop effective air pollution abatement strategies. This report summarizes the air quality data collected at the different CAMS in operation under the Department of Environment (DoE) air quality monitoring network.

The basis for discussion of air quality has been the data collected from the Air Quality monitoring Network stations under DoE. The data have been quality controlled and the air pollution levels have been compared to the Bangladesh Ambient Air Quality Standard as adopted in 2005. Table 1 represents the current and approved air quality standards for Bangladesh.

Pollutant	Objective	Average			
СО	10 mg/m ³ (9 ppm)	8 hours(a)			
CO	40 mg/m ³ (35 ppm)	1 hour(a)			
Pb	0.5 μg/m ³	Annual			
NO_x	100 μg/m³ (0.053 ppm)	Annual			
PM10	50 μg/m ³	Annual (b)			
PIVITO	150 μg/m ³	24 hours (c)			
PM2.5	15 μg/m ³	Annual			
FIVIZ.5	65 μg/m ³	24 hours			
0	235 µg/m³ (0.12 ppm)	1 hour (d)			
O_3	157 μg/m ³ (0.08 ppm)	8 hours			
SO ₂	80 μg/m ³ (0.03 ppm)	Annual			
302	365 µg/m³ (0.14 ppm)	24 hours (a)			

Notes:

- (a) Not to be exceeded more than once per year
- (b) The objective is attained when the annual arithmetic mean is less than or equal to 50 ug/m³
- (c) The objective is attained when the expected number of days per calendar year with a 24-hour average of 150 µg/m³ is equal to or less than 1
- (d) The objective is attained when the expected number of days per calendar year with the maximum hourly average of 0.12 ppm is equal to or less than 1 (Source: AQMP, DOE).

2. **Monitoring Network**

The main objective of the Bangladesh AQM network is to provide reliable information to the authorities and to the public about the air quality in most populous cities of Bangladesh.

As a part of the air quality monitoring strategy, several objectives can be achieved, including:

- Establish source/receptor relationships;
- Identify which are the pollutants of concern and their current status;
- Show how widespread air pollution problems are and indicate the general extent of the public exposure;
- Provide benchmarks against which trends in overall air quality can be compared and devise performance indicators for assessing the impact of an air quality management plan or strategy;
- Provide a data base for evaluation of effects; of urban, land use management, and transportation planning; of development and evaluation of abatement strategies; and of development and validation of atmospheric processes and models.

Another objective in the monitoring and management programme is to provide input data for modeling. These data will serve as a background for performing air quality planning and abatement studies. Model results may also serve as input to other studies such as health related investigations and exposure assessments.

The ambient air quality monitoring network Bangladesh consists of eleven (11) fixed Continuous Air Monitoring Stations (CAMS). The locations of the 11 CAMS are shown in Figure 1. Brief description of the monitoring stations and the list of measured parameters recorded at each station are provided in Table 2.

Table 2: Description of Monitoring Network:

City ID		Location	Lat/Lon	Monitoring capacity					
	CAMS-1	SangshadBhaban, Sher-e-Bangla Nagar	23.76N 90.39E	PM10, PM2.5, CO, SO2, NOX, O3, and HC concentrations with meteorological parameters.					
Dhaka	CAMS-2	Firmgate	23.76N 90.39E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological parameters.					
	CAMS-3	Darus-Salam	23.78N 90.36E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.					
Gazipur	CAMS-4	Gazipur	23.99N 90.42E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.					
Narayangonj	CAMS-5	Narayangonj	23.63N 90.51E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.					
Chittagong	CAMS-6	TV station, Khulshi	22.36N 91.80E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological parameters.					
Criticagorig	CAMS-7	Agrabad	22.32N 91.81E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.					
Khulna	CAMS-8	Baira	22.48N 89.53E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological parameters					
Rajshahi	CAMS-9	Sopura	24.38N 88.61E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological					

City	ID	Location	Lat/Lon	Monitoring capacity
				parameters.
Sylhet	CAMS-10	IRAG I TACANT	91.87E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.
Barisal	CAMS-11	DFO office campus	90.36E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.




Figure 1: CAMS Location in Bangladesh

Monitoring data from network stations are transferred to a central data centre at the Department of Environment office in Dhaka and simultaneously transferred to Air Quality Management System based on NILU AIRQUIS system established under BAPMAN project. The data are stored in AIRQUIS database for quality check, control, evaluation, validation, statistical analysis. Quality controlled data are then stored in the final database for further analysis, reporting, presentations and future use.

3. **Monthly Air Quality**

The data presented in this report are based on monitoring results of air quality parameters during the month of April, 2018 from11 CAMS operated by CASE-DoE monitoring network. Table-3 summarizes the basic statistics of the data along with the data capture rate and the number of days for which specific pollutant exceeded the Bangladesh National Ambient Air Quality Standard (BNAAQS). Since NOx have only annual standard, so for this pollutant daily 24-hours average concentration levels were compared with the annual average. During data quality control some data, which are outliers (beyond 3rd and 97th percentile) and inconsistent data, were flagged as invalid and those were not included in the analysis. Time series plots based on the data generated in the CAMS are also given in Annexes.

In general the data capture rate found little bit low compare to the previous month except few parameters in some CAMS in operation. During the reporting month several analyzers were not functional for some days due to routine preventive/corrective maintenance.

Inspection of the available data shows that there were occurrences of non-compliance for PM10& PM2.5 levels at all monitoring stations during the month of April, 2018. It is observed that the 24 hr average concentration level of PM2.5 exceeded BNAAQS for 20 days in BARC and 17 days in D.salam CAMS, 11&13 days in Narayangani and Gazipur CAMS respectively, and 06 days in TV station, Ctg and 03 days at Rajshahi CAMS, 07 days at Sylhet CAMS during the month of April, 2018. For PM10 non-attainment with respect to BNAAQS occurred for 23,8 &10 days at Narayanganj, D.Salam and BARC CAMS respectively, 05 days in Rajshahi, Gazipur CAMS, Agrabad, Ctg and 04 days in Sylhet CAMS, 02 days in TV station Chittagong during the reporting month. The monthly average concentration level of PM2.5 and PM10 measured at different CAMS were found 25.25-84.49 µg/m3 and 63.88-205.08 µg/m3 respectively during the monitoring month of April, 2018. The concentration level of those was found 44.3-185µg/m3 and 116-296 in the month of March, 2018. From the time series plot of both PM10 and PM2.5, it is seen in most cases PM concentrations greater than the BNAAQS. 24-hours average PM levels in all cities monitored are decreasing compared to previous month because of increasing average wind speed and some precipitation along with some other emission situations. It is also observed that gaseous pollutants measured at different CAMS did not exceed the BNAAQS during the month of April, 2018.

In general PM pollution levels in the cities monitored during the reporting month found slightly lower compared to previous month in respect of public health. Usually in the dry seasons the pollution level reached highest peak compare to the wet season, which is reflected in the data monitored in all CAMS during the month of April, 2018. It is observed that average wind speed and precipitation compared to previous month has a increasing tendency, which increases the rate of dispersion of the pollutants and this might be a reason for observed lower PM concentration.

Daily air quality index (AQI) values were calculated based on the available air quality data and summary of the AQI by categories are presented in annex Figure 5. Summary data shows majority of the days AQI values were Caution, Unhealthy and Moderate along with some Good, very unhealthy and Extremely Unhealthy.

4. Summary and conclusion

Data obtained from CAMS operated under DoE air quality monitoring network during April, 2018 have been analyzed and reported. Data availability was 60-90% for all the criteria pollutants monitored at different CAMS with few exceptions. Air quality data for few pollutants were not reported because either the analyzer was not functional or the data capture rate was too low. From the analysis of the data following conclusion can be drawn:

- PM₁₀ and PM_{2,5} are the most critical pollutants. 24-hour average for both PM10 and PM2.5concentrations were found higher than the BNAAQS during the month of April, 2018with few exceptions. It is observed that the average concentration level of PM2.5 and PM10 measured at different CAMS were 25.25-84.49 µg/m3 and 63.88-205.08 µg/m³ respectively during the monitoring month of April, 2018
- The gaseous pollutants measured at different CAMS did not exceed limit values of the BNAAQS.
- Due to increasing average wind speed and some precipitation during April, 2018, the pollution concentration levels showed slightly lower than the previous month.

 Monthly summary of calculated AQI values based on data from different CAMS showed that during this month most of day's air quality was in all categories with the majority of Moderate to very Unhealthy and in all cases most frequent responsible pollutant was PM2.5.

During the reporting month number of analyzer especially gaseous analyzers of some CAMS did not produced data because of their repair and maintenance activities.

Table 3: Summary Air Quality and Meteorological data measured during April, 2018 at different CAMS operated under DoE

Parameter	unit	NAAQS	Summary	CAMS-1 (S- Bhaban)	CAMS-2 (BARC) ^a	CAMS-3 (D-salam)	CAMS-4 (Gazipur)	CAMS-5 (Narayong anj)	CAMS-6 TV-St (Chittagong)	CAMS-7 Agrabad- (Chittagon g)	CAMS-8 (Sylhet)	CAMS-9 (Khulna) ^a	CAMS-10 (Rajshahi)	CAMS-11 (Barisal)
			Average	DNA	DNA	11.41	5.21	DNA	11.30	3.17	DNA	21.30	2.39	12.18
			Max	DNA	DNA	29.99	9.21	DNA	21.79	4.89	DNA	22.26	3.24	14.82
SO_2 -24 hr	nnh	140	Min	DNA	DNA	5.43	3.26	DNA	1.85	2.55	DNA	18.27	1.54	9.51
30 ₂ -24 m	ppb	140	Excedance(Days)	DNA	DNA	0	0	DNA	0.00	0	DNA	0	0	0
			Data capture(%)	DNA	DNA	87.50	45.16	DNA	38.44	37.63	DNA	39.78	83.06	81.72
			Average	DNA	DNA	35.58	9.79	29.07	69.44	20.14	13.87	46.21	DNA	20.20
			Max	DNA	DNA	55.27	25.07	64.28	96.33	52.58	22.88	52.48	DNA	25.22
NO ₂ -24 hr		53	Min	DNA	DNA	21.38	2.77	15.40	47.95	6.04	9.74	39.10	DNA	16.87
NO ₂ -24 m	ppb	(Annual)	Excedance(Days)	DNA	DNA	0.00	0.00	0.00	0.00	0.00	0.00	0.00	DNA	0.00
			Data capture(%)	DNA	DNA	87.50	71.24	81.32	43.28	35.89	88.98	51.34	DNA	81.85
			Average	DNA	1.35	1.69	DNA	DNA	0.53	DNA	DNA	DNA	DNA	DNA
		35	Max	DNA	9.27	4.80	DNA	DNA	2.25	DNA	DNA	DNA	DNA	DNA
GO 11			Min	DNA	0.05	0.85	DNA	DNA	0.06	DNA	DNA	DNA	DNA	DNA
CO- 1 hr	ppm		Excedance(Hour)	DNA	0.00	0.00	DNA	DNA	0.00	DNA	DNA	DNA	DNA	DNA
			Data capture(%)	DNA	65.05	87.50	DNA	DNA	40.73	DNA	DNA	DNA	DNA	DNA
		n 9	Average	DNA	1.47	1.69	DNA	DNA	0.53	DNA	DNA	DNA	DNA	DNA
			Max	DNA	6.69	2.81	DNA	DNA	1.51	DNA	DNA	DNA	DNA	DNA
CO 91			Min	DNA	0.13	1.03	DNA	DNA	0.11	DNA	DNA	DNA	DNA	DNA
CO-8hr	ppm		Excedance(Hour)	DNA	0.00	0.00	DNA	DNA	0.00	DNA	DNA	DNA	DNA	DNA
			Data capture(%)	DNA	56.05	87.37	DNA	DNA	39.38	DNA	DNA	DNA	DNA	DNA
			Average	DNA	5.18	DNA	DNA	2.94	3.57	DNA	DNA	DNA	12.58	DNA
			Max	DNA	21.97	DNA	DNA	17.68	8.37	DNA	DNA	DNA	78.97	DNA
O ₃ -1hr	1	120	Min	DNA	0.05	DNA	DNA	0.82	0.73	DNA	DNA	DNA	0.08	DNA
O ₃ -1111	ppb	120	Excedance(Hour)	DNA	0.00	DNA	DNA	0.00	0.00	DNA	DNA	DNA	0.00	DNA
			Data capture(%)	DNA	94.35	DNA	DNA	60.22	43.41	DNA	DNA	DNA	50.81	DNA
			Average	DNA	5.24	DNA	DNA	2.97	3.58	DNA	DNA	DNA	8.83	DNA
			Max	DNA	14.55	DNA	DNA	8.48	5.92	DNA	DNA	DNA	67.07	DNA
O ₃ -8hr	nnh	80	Min	DNA	0.44	DNA	DNA	1.04	2.39	DNA	DNA	DNA	0.16	DNA
O ₃ -6III	ppb	ου	Excedance(Hour)	DNA	0.00	DNA	DNA	0.00	0.00	DNA	DNA	DNA	0.00	DNA
			Data capture(%)	DNA	92.34	DNA	DNA	57.26	42.34	DNA	DNA	DNA	43.15	DNA


CAMS= Continuous Air Monitoring Station, NAAQS=National Ambient Air Quality Standard, a=Refurbisment CAMS, PM= Particulate Matter


Table 3: Summary Air Quality and Meteorological data measured during April, 2018at different CAMS operated under DoE (Cont'd)


Parameter	unit	NAAQS ,	Summary	CAMS-1 (S- Bhaban)	CAMS-2 (BARC) ^a	CAMS-3 (D-salam)	CAMS-4 (Gazipur)	CAMS-5	CAMS-6 TV-St (Chittagong)	CAMS-7	CAMS-8 (Sylhet)	CAMS-9 (Khulna) ^a	CAMS-10 (Rajshahi)	CAMS-11 (Barisal)
			Average	DNA	84.49	74.89	68.73	71.83	65.17	DNA	46.29	25.25	44.92	DNA
			Max	DNA	164.52	150.32	137.75	227.96	101.44	DNA	103.03	55.96	87.89	DNA
PM _{2.5} -24hr	ug /m ³	65	Min	DNA	40.17	45.99	31.50	26.44	33.73	DNA	16.24	7.63	6.22	DNA
1112.5	μg /m ³	0.5	Excedance(Days)	DNA	20.00	17	13	11	6.00	DNA	7	0	3	DNA
			Data capture(%)	DNA	95.43	83	60	63	43.41	DNA	80	53.49	89.78	DNA
			Average	DNA	145.40	140.02	115.65	205.08	115.36	140.07	98.85	63.88	119.66	68.29
			Max	DNA	259.38	279.10	222.06	444.78	167.97	219.32	224.59	134.21	221.02	136.72
PM ₁₀ -24hr	μg/m ³	150	Min	DNA	67.85	73.67	57.45	66.89	71.16	96.72	37.87	22.50	54.62	43.59
1 14110 - 24111	μg/III	130	Excedance(Days)	DNA	10.00	8	5	23	2.00	5	4	0	5.00	0
			Data capture(%)	DNA	95.56	83	60	67	43.41	30	79	54.57	76.75	71.10
		t/m ² NA	Average	DNA	DNA	222.66	DNA	DNA	DNA	186.17	193.25	DNA	DNA	213.65
Solar rad. 1hr	watt/m ²		Max	DNA	DNA	979.16	DNA	DNA	DNA	823.99	947.43	DNA	DNA	892.12
Solai Tau. IIII	watt/m		Min	DNA	DNA	6.23	DNA	DNA	DNA	7.27	6.20	DNA	DNA	8.06
			Data capture(%)	DNA	DNA	87.50	DNA	DNA	DNA	39.25	89.52	DNA	DNA	81.85
		(%) NA	Average	DNA	DNA	66.60	DNA	DNA	74.87	71.05	75.27	DNA	74.57	73.48
Relative	(%)		Max	DNA	DNA	94.09	DNA	DNA	97.81	91.17	98.50	DNA	96.26	97.53
Humidity 1hr	(70)	1421	Min	DNA	DNA	33.02	DNA	DNA	9.09	36.59	37.33	DNA	22.52	36.22
			Data capture(%)	DNA	DNA	87.50	DNA	DNA	32.80	39.11	89.52	DNA	93.82	81.85
			Average	DNA	DNA	27.85	DNA	DNA	25.70	27.69	25.76	DNA	26.64	29.43
	(°c)	(°c) NA	Max	DNA	DNA	35.38	DNA	DNA	32.15	34.02	33.37	DNA	33.26	36.82
Ambient Temp.			Min	DNA	DNA	20.51	DNA	DNA	19.07	21.69	19.73	DNA	21.96	22.11
1hr			Data capture(%)	DNA	DNA	87.50	DNA	DNA	43.41	39.11	89.52	DNA	93.82	81.85
			Average	DNA	0.37	0.06	1.65	DNA	0.12	0.06	0.28	DNA	2.59	DNA
Rainfall 1hr	(m.m.)	m.m.) NA	Max	DNA	8.55	4.82	3.53	DNA	0.40	4.52	6.95	DNA	6.01	DNA
	(Min	DNA	0.02	0.02	0.10	DNA	0.02	0.02	0.02	DNA	0.14	DNA
			Data capture(%)	DNA	85.62	55.65	71.24	DNA	2.96	31.32	35.08	DNA	2.82	DNA

CAMS= Continuous Air Monitoring Station, NAAQS=National Ambient Air Quality Standard, a=Refurbisment CAMS, PM= Particulate Matter DNA= Data Not Available,

FIGURE 3: TIME SERIES OF ALL PARAMETERS (SO2, NOx AND O3) MEASURED IN ALL CAMS DURING APRIL, 2018










FIGURE 4: TIME SERIES OF ALL PARAMETERS (CO,PM10 AND PM2.5) MEASURED IN CAMS DURING APRIL, 2018

