

**Government of the People's Republic of Bangladesh**

**Ministry of Environment and Forests**

**Monthly Air Quality Monitoring Report  
Reporting Month: February,2018**

**Clean Air and Sustainable Environment Project**  
(নির্মলবায়ুএবং টেকসইপরিবেশপ্রকল্প)

**March,2018**

**Department of Environment**

# Content

1. Introduction.....	1
2. Monitoring Network .....	2
3. Monthly Air Quality .....	3
4. Summary and conclusion.....	4
5. ANNEX.....	9

## 1. Introduction

Air quality management plans based on knowledge of sources, appropriate air quality standards, accurate air quality data, and effective incentives; and enforcement policies is therefore needed to be adopted.

At this backdrop, real-time measurements of ambient level pollutants were made at 8 major cities (Namely, Dhaka, Narayanganj, Gazipur, Chittagong, Rajshahi, Khulna, Barisal and Sylhet) of Bangladesh. The data generated will be used to define the nature and severity of pollution in the cities; identify pollution trends in the country; and develop air models and emission inventories.

The program encompasses operation of the sampling and monitoring network, and quality assurance activities to ensure the quality of the data collected and disseminated by the CASE project.

CASE project monitors the criteria pollutants such as carbon monoxide, nitrogen dioxide, ozone, sulfur dioxide, PM10 and PM2.5. Monitoring is performed to demonstrate attainment or non-attainment of national ambient air quality standards to assess the trends of air pollution levels.

The main purpose of this report is to present, analyze and make available of these data to the general public, stakeholders, researchers and policy makers to develop effective air pollution abatement strategies. This report summarizes the air quality data collected at the different CAMS in operation under the Department of Environment (DoE) air quality monitoring network.

The basis for discussion of air quality has been the data collected from the Air Quality monitoring Network stations under DoE. The data have been quality controlled and the air pollution levels have been compared to the Bangladesh Ambient Air Quality Standard as adopted in 2005. Table 1 represents the current and approved air quality standards for Bangladesh.

Table 1: National Ambient Air Quality Standards for Bangladesh

Pollutant	Objective	Average
CO	10 mg/m <sup>3</sup> (9 ppm)	8 hours(a)
	40 mg/m <sup>3</sup> (35 ppm)	1 hour(a)
Pb	0.5 µg/m <sup>3</sup>	Annual
NO <sub>x</sub>	100 µg/m <sup>3</sup> (0.053 ppm)	Annual
PM10	50 µg/m <sup>3</sup>	Annual (b)
	150 µg/m <sup>3</sup>	24 hours (c)
PM2.5	15 µg/m <sup>3</sup>	Annual
	65 µg/m <sup>3</sup>	24 hours
O <sub>3</sub>	235 µg/m <sup>3</sup> (0.12 ppm)	1 hour (d)
	157 µg/m <sup>3</sup> (0.08 ppm)	8 hours
SO <sub>2</sub>	80 µg/m <sup>3</sup> (0.03 ppm)	Annual
	365 µg/m <sup>3</sup> (0.14 ppm)	24 hours (a)

Notes:

- (a) Not to be exceeded more than once per year
- (b) The objective is attained when the annual arithmetic mean is less than or equal to 50 µg/m<sup>3</sup>
- (c) The objective is attained when the expected number of days per calendar year with a 24-hour average of 150 µg/m<sup>3</sup> is equal to or less than 1
- (d) The objective is attained when the expected number of days per calendar year with the maximum hourly average of 0.12 ppm is equal to or less than 1 (Source: AQMP, DOE).

## 2. Monitoring Network

The main objective of the Bangladesh AQM network is to provide reliable information to the authorities and to the public about the air quality in most populous cities of Bangladesh.

As a part of the air quality monitoring strategy, several objectives can be achieved, including:

- Establish source/receptor relationships;
- Identify which are the pollutants of concern and their current status;
- Show how widespread air pollution problems are and indicate the general extent of the public exposure;
- Provide benchmarks against which trends in overall air quality can be compared and devise performance indicators for assessing the impact of an air quality management plan or strategy;
- Provide a data base for evaluation of effects; of urban, land use management, and transportation planning; of development and evaluation of abatement strategies; and of development and validation of atmospheric processes and models.

Another objective in the monitoring and management program is to provide input data for modeling. These data will serve as a background for performing air quality planning and abatement studies. Model results may also serve as input to other studies such as health related investigations and exposure assessments.

The ambient air quality monitoring network Bangladesh consists of eleven (11) fixed Continuous Air Monitoring Stations (CAMS). The locations of the 11 CAMS are shown in Figure 1. Brief description of the monitoring stations and the list of measured parameters recorded at each station are provided in Table 2.

Table 2: Description of Monitoring Network:

City	ID	Location	Lat/Lon	Monitoring capacity
Dhaka	CAMS-1	SangshadBhaban, Sher-e-Bangla Nagar	23.76N 90.39E	PM10, PM2.5, CO, SO2, NOX, O3, and HC concentrations with meteorological parameters.
	CAMS-2	Firmgate	23.76N 90.39E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological parameters.
	CAMS-3	Darus-Salam	23.78N 90.36E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.
Gazipur	CAMS-4	Gazipur	23.99N 90.42E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.
Narayangonj	CAMS-5	Narayangonj	23.63N 90.51E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.
Chittagong	CAMS-6	TV station, Khulshi	22.36N 91.80E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological parameters.
	CAMS-7	Agrabad	22.32N 91.81E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.
Khulna	CAMS-8	Baira	22.48N 89.53E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological parameters
Rajshahi	CAMS-9	Sopura	24.38N 88.61E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological

City	ID	Location	Lat/Lon	Monitoring capacity
				parameters.
Sylhet	CAMS-10	Red Crecent Campus	24.89N 91.87E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.
Barisal	CAMS-11	DFO office campus	22.71N 90.36E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.




Figure 1: CAMS Location in Bangladesh

Monitoring data from network stations are transferred to a central data centre at the Department of Environment office in Dhaka and simultaneously transferred to Air Quality Management System based on NILU AIRQUIS system established under BAPMAN project. The data are stored in AIRQUIS database for quality check, control, evaluation, validation, statistical analysis. Quality controlled data are then stored in the final database for further analysis, reporting, presentations and future use.

### 3. Monthly Air Quality

The data presented in this report are based on monitoring results of air quality parameters during the month of February, 2018 from 11 CAMS operated by CASE-DoE monitoring network. Table-3 summarizes the basic statistics of the data along with the data capture rate and the number of days for which specific pollutant exceeded the Bangladesh National Ambient Air Quality Standard (BNAAQS). Since NO<sub>x</sub> have only annual standard, so for this pollutant daily 24-hours average concentration levels were compared with the annual average. During data quality control some data, which are outliers (beyond 3<sup>rd</sup> and 97<sup>th</sup> percentile) and inconsistent data, were flagged as invalid and those were not included in the analysis. Time series plots based on the data generated in the CAMS are also given in Annexes.

In general the data capture rate found little bit low compare to the previous month except few parameters in some CAMS in operation. During the reporting month several analyzers were not functional for some days due to routine preventive/corrective maintenance.

Inspection of the available data shows that there were occurrences of non-compliance for PM<sub>10</sub> & PM<sub>2.5</sub> levels at all monitoring stations during the month of February, 2018. It is observed that the 24 hr average concentration level of PM<sub>2.5</sub> exceeded BNAAQS for 25 days in BARC, 28 days in D.salam, Narayanganj, Rajshahi and Gazipur, 22 days in Khulna and 20 days in TV station, Ctg and 26 days at Shylet CAMS during the month of February, 2018. For PM<sub>10</sub> non-attainment with respect to BNAAQS occurred for 28 days at Narayanganj and D.Salam, 9 days in Rajshahi 19 days in Barishal CAMS and Sylhet, CAMS, 27 days in BARC, Gazipur and Agrabad, Ctg, 26 days in TV station and 07 days in Khulna CAMS during the reporting month. The monthly average concentration level of PM<sub>2.5</sub> and PM<sub>10</sub> measured at different CAMS were found 83-235 µg/m<sup>3</sup> and 178-420 µg/m<sup>3</sup> respectively during the monitoring month of February, 2018. The concentration level of those was found 93-259 µg/m<sup>3</sup> and 185-428 µg/m<sup>3</sup> respectively during the monitoring month of January, 2018. From the time series plot of both PM<sub>10</sub> and PM<sub>2.5</sub>, it is seen in most cases PM concentrations greater than the BNAAQS. 24-hours average PM levels in all cities monitored are increasing compared to previous month because of decreasing average wind speed and lower precipitation along with some other emission situations. It is also observed that gaseous pollutants measured at different CAMS did not exceed the BNAAQS during the month of February, 2018.

In general PM pollution levels in the cities monitored during the reporting month found higher compared to previous month in respect of public health. Usually in the dry seasons the pollution level reached highest peak compare to the wet season, which is reflected in the data monitored in all CAMS during the month of February, 2018. It is observed that average wind speed and precipitation compared to previous month has a decreasing tendency, which decreases the rate of dispersion of the pollutants and this might be a reason for observed higher PM concentration.

Daily air quality index (AQI) values were calculated based on the available air quality data and summary of the AQI by categories are presented in annex Figure 5. Summary data shows majority of the days AQI values were in all categories with the majority of Very Unhealthy to Extremely Unhealthy.

#### 4. Summary and conclusion

Data obtained from CAMS operated under DoE air quality monitoring network during February, 2018 have been analyzed and reported. Data availability was 60-90% for all the criteria pollutants monitored at different CAMS with few exceptions. Air quality data for few pollutants were not reported because either the analyzer was not functional or the data capture rate was too low. From the analysis of the data following conclusion can be drawn:

- PM<sub>10</sub> and PM<sub>2.5</sub> are the most critical pollutants. 24-hour average for both PM<sub>10</sub> and PM<sub>2.5</sub> concentrations were found higher than the BNAAQS during the month of February, 2018 with few exceptions. It is observed that the average concentration level of PM<sub>2.5</sub> and PM<sub>10</sub> measured at different CAMS were 83-235 µg/m<sup>3</sup> and 178-420 µg/m<sup>3</sup> respectively during the monitoring month of February, 2018..
- The gaseous pollutants measured at different CAMS did not exceed limit values of the BNAAQS. NO<sub>x</sub> concentrations exceeded the BNAAQS 26 days in Narayanganj CAMS, 08 days in Gazipur, Agrabad, Chittagong and Khulna CAMS, 5 days in Barisal CAMS and 02 days in TV Station Chittagong CAMS in this month.
- Due to decreasing average wind speed and lower precipitation during February, 2018, the pollution concentration levels showed higher than the previous month.

- Monthly summary of calculated AQI values based on data from different CAMS showed that during this month most of day's air quality was in all categories with the majority of Very unhealthy to extremely Unhealthy and in all cases most frequent responsible pollutant was PM2.5.

During the reporting month number of analyzer especially gaseous analyzers of some CAMS did not produced data because of their repair and maintenance activities.

Table 3: Summary Air Quality and Meteorological data measured during February, 2018at different CAMS operated under DoE

Parameter	unit	NAAQS	Summary	CAMS-1 (S-Bhaban)	CAMS-2 (BARC) <sup>a</sup>	CAMS-3 (D-salam)	CAMS-4 (Gazipur)	CAMS-5 (Narayonganj)	CAMS-6 TV-St (Chittagong) <sup>a</sup>	CAMS-7 Agrabad (Chittagong)	CAMS-8 (Sylhet)	CAMS-9 (Khulna) <sup>a</sup>	CAMS-10 (Rajshahi) <sup>a</sup>	CAMS-11 (Barisal)
SO <sub>2</sub> -24 hr	ppb	140	Average	DNA	40.4	20.7	2.89	25.8	DNA	DNA	DNA	17.7	3.10	8.28
			Max	DNA	116	35.1	4.66	63.3	DNA	DNA	DNA	28.8	5.96	11.7
			Min	DNA	2.72	8.03	0.86	3.46	DNA	DNA	DNA	11.3	1.17	4.84
			Excedance(Days)	DNA	0	0	0	0	DNA	DNA	DNA	0	0	0
			Data capture(%)	DNA	65	88	66	86	DNA	DNA	DNA	74	79	78
NO <sub>2</sub> -24 hr	ppb	53 (Annual)	Average	DNA	DNA	53.7	39.2	62.4	44.1	55.1	19.0	51.0	DNA	92.8
			Max	DNA	DNA	120	69.5	99.5	99.3	85.7	30.1	106	DNA	145
			Min	DNA	DNA	23.5	15.2	26.0	17.6	30.3	12.1	20.8	DNA	48.9
			Excedance(Days)	DNA	DNA	0	0	0	0	0	0	0	DNA	0
			Data capture(%)	DNA	DNA	26	84	86	90	81	88	69	DNA	78
CO- 1 hr	ppm	35	Average	DNA	1.57	2.02	DNA	DNA	0.88	DNA	DNA	1.45	1.38	DNA
			Max	DNA	13.0	4.51	DNA	DNA	3.02	DNA	DNA	10.7	4.68	DNA
			Min	DNA	0.05	0.84	DNA	DNA	0.12	DNA	DNA	0.06	0.06	DNA
			Excedance(Hour )	DNA	0	0	DNA	DNA	0	DNA	DNA	0	0	DNA
			Data capture(%)	DNA	65	24	DNA	DNA	90	DNA	DNA	74	83	DNA
CO-8hr	ppm	9	Average	DNA	1.68	2.03	DNA	DNA	0.87	DNA	DNA	1.42	1.38	DNA
			Max	DNA	7.90	3.02	DNA	DNA	2.56	DNA	DNA	7.27	3.85	DNA
			Min	DNA	0.26	1.04	DNA	DNA	0.23	DNA	DNA	0.23	0.31	DNA
			Excedance(Hour )	DNA	0	0	DNA	DNA	0	DNA	DNA	0	0	DNA
			Data capture(%)	DNA	59	24	DNA	DNA	90	DNA	DNA	72	82	DNA
O <sub>3</sub> -1hr	ppb	120	Average	DNA	7.33	4.02	DNA	2.73	4.00	DNA	DNA	11.5	DNA	14.3
			Max	DNA	33.2	29.0	DNA	17.6	16.5	DNA	DNA	81.7	DNA	68.4
			Min	DNA	0.07	0.37	DNA	0.19	2.10	DNA	DNA	0.06	DNA	2.39
			Excedance(Hour )	DNA	0	0	DNA	0	0	DNA	DNA	0	DNA	0
			Data capture(%)	DNA	82	80	DNA	86	90	DNA	DNA	82	DNA	78
O <sub>3</sub> -8hr	ppb	80	Average	DNA	7.34	4.04	DNA	2.76	4.01	DNA	DNA	11.8	DNA	14.5
			Max	DNA	21.2	22.0	DNA	10.5	8.21	DNA	DNA	33.5	DNA	52.8
			Min	DNA	0.82	0.49	DNA	0.38	2.52	DNA	DNA	0.53	DNA	2.51
			Excedance(Hour )	DNA	0	0	DNA	0	0	DNA	DNA	0	DNA	0
			Data capture(%)	DNA	82	78	DNA	85	90	DNA	DNA	78	DNA	76

CAMS= Continuous Air Monitoring Station, NAAQS=National Ambient Air Quality Standard, a=Refurbishment CAMS, PM= Particulate Matter

DNA= Data Not Available



Table 3: Summary Air Quality and Meteorological data measured during February, 2018 at different CAMS operated under DoE (Cont'd)

Parameter	unit	NAAQS	Summary	CAMS-1 (S Bhaban)	CAMS-2 (BARC) <sup>a</sup>	CAMS-3 (D-salam)	CAMS-4 (Gazipur)	CAMS-5 (Narayong anj)	CAMS-6 TV-St (Chittagong) <sup>a</sup>	CAMS-7 Agrabad- (Chittagong)	CAMS-8 (Sylhet)	CAMS-9 (Khulna) <sup>a</sup>	CAMS-10 (Rajshahi) <sup>a</sup>	CAMS-11 (Barisal)
PM <sub>2.5</sub> -24hr	µg /m <sup>3</sup>	65	Average	DNA	235	167	171	174	82.9	DNA	113	97.5	137	DNA
			Max	DNA	393	310	286	285	126	DNA	190	213	242	DNA
			Min	DNA	70.58	77.5	95.4	88.5	46.8	DNA	42.6	38.5	68.7	DNA
			Excedance(Days)	DNA	25	28	28	28	20	DNA	26	22	28	DNA
			Data capture(%)	DNA	71	84	75	79	86	DNA	84	80	81	DNA
PM <sub>10</sub> -24hr	µg /m <sup>3</sup>	150	Average	DNA	420	321	288	358	207	270	198	178	250	189
			Max	DNA	666	493	499	522	318	352	287	283	389	339
			Min	DNA	294	183	129	230	116	180	95	107	113	74.1
			Excedance(Days)	DNA	27	28	27	28	26	27	19	7	9	19
			Data capture(%)	DNA	81	80	76	80	86	62	67	33	27	74
Solar rad. 1hr	watt/m <sup>2</sup>	NA	Average	DNA	DNA	127	DNA	DNA	73.5	143	166	DNA	DNA	136
			Max	DNA	DNA	814	DNA	DNA	98.0	591	718	DNA	DNA	728
			Min	DNA	DNA	6.53	DNA	DNA	9.03	7.18	7.09	DNA	DNA	7.99
			Data capture(%)	DNA	DNA	88	DNA	DNA	75	81	88	DNA	DNA	78
Relative Humidity 1hr	(%)	NA	Average	DNA	DNA	59.1	DNA	DNA	73.5	65.9	72.3	DNA	66.6	72.0
			Max	DNA	DNA	94.2	DNA	DNA	98.0	94.4	99.4	DNA	96.4	99.5
			Min	DNA	DNA	22.7	DNA	DNA	9.03	24.6	30.9	DNA	17.8	24.1
			Data capture(%)	DNA	DNA	88	DNA	DNA	75	81	88	DNA	88	78
Ambient Temp. 1hr	(°c)	NA	Average	DNA	DNA	24.0	DNA	DNA	21.5	23.5	22.0	DNA	22.9	24.5
			Max	DNA	DNA	33.2	DNA	DNA	31.7	32.2	29.7	DNA	30.0	35.4
			Min	DNA	DNA	16.1	DNA	DNA	14.7	17.1	15.2	DNA	17.6	15.9
			Data capture(%)	DNA	DNA	88	DNA	DNA	90	81	88	DNA	88	78
Rainfall 1hr	(m.m.)	NA	Average	DNA	0.54	0.02	1.70	DNA	DNA	0.02	0.13	DNA	DNA	DNA
			Max	DNA	4.45	0.21	3.37	DNA	DNA	0.03	4.30	DNA	DNA	DNA
			Min	DNA	0.08	0.02	0.15	DNA	DNA	0.02	0.02	DNA	DNA	DNA
			Data capture(%)	DNA	9	15	84	DNA	DNA	69	9	DNA	DNA	DNA

CAMS= Continuous Air Monitoring Station, NAAQS=National Ambient Air Quality Standard, a=Refurbishment CAMS, PM= Particulate Matter

DNA= Data Not Available

FIGURE 3: TIME SERIES OF ALL PARAMETERS (SO<sub>2</sub>, NO<sub>x</sub> AND O<sub>3</sub>) MEASURED IN ALL CAMS DURING FEBRUARY, 2018







FIGURE 4: TIME SERIES OF ALL PARAMETERS (CO,PM10 AND PM2.5) MEASURED IN CAMS DURING FEBRUARY, 2018







Figure 5: Monthly Summary of AQI for month of February, 2018

